



## Data Projectors



[www.optoma.eu](http://www.optoma.eu)

DLP® Digital Projection

# Desktop

## EP1690



**WIDESCREEN**

**HD ready**

⚖️	3.2 kg
💡	2500 Lumens
🕒	2500:1
📏	WXGA (1280 x 768) up to UXGA
🕒	3000/2000 Hours (STD/Bright Mode)*
🔄	480i/p, 576i/p, 720p, 1080i
🔊	27/30dB (STD/Bright Mode)
➡️	<b>Inputs:</b> DVI-D (HDCP), 2 x VGA (YPbPr/RGB/SCART), S-Video, Composite <b>Audio:</b> 4 Audio Inputs, 1 Audio Output <b>Outputs:</b> VGA monitor loop though <b>Comms:</b> RS232, USB
🔊	1 x 3 Watt
📄	HD Ready, Native Widescreen Resolution, Remote with Mouse and Laser
🕒	3 years (LAMP 180 days or up to 1000 Hours)

## EP770



⚖️	2.4 kg
💡	3000 Lumens
🕒	2000:1
📏	XGA (1024 x 768) up to SXGA
🕒	3000/2000 Hours (STD/Bright Mode)*
🔄	480i/p, 576i/p, 720p, 1080i
🔊	28/33dB (STD/Bright Mode)
➡️	<b>Inputs:</b> DVI-D (HDCP), VGA (YPbPr/RGB/SCART), S-Video, Composite <b>Audio:</b> 1 Audio Input <b>Outputs:</b> VGA monitor loop though <b>Comms:</b> RS232, USB
🔊	1 x 2 Watt
📄	5 Segment Colour Wheel, Short Throw Lens Option
🕒	3 years (LAMP 180 days or up to 1000 Hours)

## EP771 / EP772



⚖️	3.3 kg
💡	3000 Lumens (EP771) / <b>3500 Lumens (EP772)</b>
🕒	2300:1
📏	XGA (1024 x 768) up to SXGA+
🕒	4000/3000/2000 Hours (ECO/STD/Bright Mode) / <b>3000/2000 Hours (ECO/Bright Mode)</b>
🔄	480i/p, 576i/p, 720p, 1080i
🔊	28/30/33dB (ECO/STD/Bright Mode)* / <b>28/33dB (ECO/Bright Mode)*</b>
➡️	<b>Inputs:</b> DVI-D (HDCP), VGA (YPbPr/RGB), S-Video, Composite <b>Audio:</b> 2 Audio Inputs, 1 Audio Output <b>Outputs:</b> VGA monitor loop though, 12V Trigger <b>Comms:</b> RS232, USB
🔊	1 x 3 Watt
📄	5 Segment Colour Wheel, Password Security, Remote with Mouse & Laser
🕒	2 years (LAMP 180 days or up to 1000 Hours)

# Mobile

## DS302 / DX602



⚖️	1.9 kg
💡	1650 Lumens
🎯	2000:1 (DS302) / <b>2200:1 (DX602)</b>
📺	SVGA (800 x 600) up to SXGA / <b>XGA (1024 x 768) up to SXGA+</b>
🕒	3000 Hours*
🔊	480i/p, 576i/p, 720p, 1080i
🔊	27dB
➡️	<b>Inputs: DVI-D (HDCP) (DX602 only),</b> VGA (YPbPr/RGB/SCART), S-Video, Composite <b>Comms: RS232</b>
🔊	None
🔒	Password Security, SCART Compatible, Vertical Keystone correction, Auto Power off
🕒	2 years (LAMP 180 days or up to 1000 Hours)

## EP706 / 709



⚖️	1.9 kg
💡	1800 Lumens
🎯	2000:1 (EP706) / <b>2200:1 (EP709)</b>
📺	SVGA (800 x 600) up to SXGA / <b>XGA (1024 x 768) up to SXGA+</b>
🕒	3000 Hours*
🔊	480i/p, 576i/p, 720p, 1080i
🔊	27dB
➡️	<b>Inputs: DVI-D (HDCP) (EP709 only),</b> VGA (YPbPr/RGB/SCART), S-Video, Composite <b>Comms: RS232</b>
🔊	None
🔒	Password Security SCART Compatible, Vertical Keystone correction, Auto Power off
🕒	2 years (LAMP 180 days or up to 1000 Hours)

## DS305R / DX605R



⚖️	2.0 kg
💡	2000 Lumens
🎯	2000:1 (DS305R) / <b>2500:1 (DX605R)</b>
📺	SVGA (800 x 600) up to SXGA / <b>XGA (1024 x 768) up to SXGA+</b>
🕒	4000/3000 Hours (STD/Bright Mode)*
🔊	480i/p, 576i/p, 720p, 1080i
🔊	28/30dB (STD/Bright Mode)
➡️	<b>Inputs: 2 x VGA (YPbPr/RGB/SCART),</b> S-Video, Composite <b>Audio: 1 Audio Input</b> <b>Outputs: VGA monitor loop though</b> <b>Comms: RS232</b>
🔊	1 x 2 Watt
🔒	Password Security, SCART Compatible, Auto Power off
🕒	2 years (LAMP 180 days or up to 1000 Hours)

# Mobile

## EP716R / 719R



⚖️	2.0 kg
💡	2200 Lumens
📊	2000:1 (EP716R) /2500:1 (EP719R)
📏	SVGA (800 x 600) up to SXGA / <b>XGA (1024 x 768) up to SXGA+</b>
🕒	4000/3000 Hours (STD/Bright Mode)*
🔊	480i/p, 576i/p, 720p, 1080i
🔊	28/30dB (STD/Bright Mode)
🔌	<b>Inputs:</b> 2 x VGA (YPbPr/RGB/SCART), S-Video, Composite <b>Audio:</b> 1 Audio Input <b>Outputs:</b> VGA monitor loop though <b>Comms:</b> RS232
🔊	1 x 2 Watt
🔒	Password Security, SCART Connectivity, Travel ready, Auto Power off
🕒	3 years (LAMP 180 days or up to 1000 Hours)

## DX733



⚖️	2.0 kg
💡	2500 Lumens
📊	2500:1
📏	XGA (1024 x 768) up to SXGA+
🕒	3000/2000 Hours (STD/Bright Mode)*
🔊	480i/p, 576i/p, 720p, 1080i
🔊	28/33dB (STD/Bright Mode)
🔌	<b>Inputs:</b> DVI-D (HDCP), 2 x VGA (YPbPr/RGB/SCART), S-Video, Composite <b>Audio:</b> 1 Audio Input & 1 Audio Output <b>Outputs:</b> VGA monitor loop though <b>Comms:</b> RS232
🔊	1 x 2 Watt
🔒	5 Segment Colour Wheel, Password Security, SCART Connectivity, Auto Power off
🕒	3 years (LAMP 180 days or up to 1000 Hours)

### Key

⚖️	Weight Kg	🔊	Compatibility
💡	ANSI Lumens	🔊	Noise
📊	Contrast	🔌	I/O Connectors
📏	Native Resolution	🔊	Speakers
🕒	Lamp Life	🔒	Notes



5 Segment Colour Wheel

# Install

## EP773



⚖	3.2 kg
💡	3500 Lumens
🕒	2200:1
📏	XGA (1024 x 768) up to SXGA+
🕒	3000/2000 Hours (STD/Bright Mode)*
📺	480i/p, 576i/p, 720p, 1080i
🔊	30/34dB (STD/Bright Mode)
➡	<b>Inputs:</b> DVI-D (HDCP), 2 x VGA (YPbPr/RGB/SCART), S-Video, Composite <b>Audio:</b> 4 Audio Inputs, 1 Audio Output <b>Outputs:</b> VGA monitor loop though <b>Comms:</b> RS232, USB
🔊	1 x 3 Watt
📄	5 Segment Colour Wheel, Password Protection, Short Throw Lens Option, Remote with Mouse & Laser
🛡	3 years (LAMP 180 days or up to 1000 Hours)

## EP780



⚖	3.6 kg
💡	4000 Lumens
🕒	3000:1
📏	XGA (1024 x 768) up to UXGA
🕒	3000/2000 Hours (STD/Bright Mode)*
📺	480i/p, 576i/p, 720p, 1080i
🔊	30/32dB (STD/Bright Mode)
➡	<b>Inputs:</b> DVI-D (HDCP), 2 x VGA (YPbPr/RGB/SCART), S-Video, Composite <b>Audio:</b> 3 Audio Inputs, 1 Audio Output <b>Outputs:</b> VGA monitor loop though <b>Comms:</b> RJ45, RS232, USB
🔊	2 x 2 Watt
📄	5 Segment Colour Wheel, PIP Function, Network Management, Short Throw Lens Option, Remote with Mouse & Laser
🛡	3 years (LAMP 180 days or up to 1000 Hours)

## EP910



⚖	4.5 kg
💡	3500 Lumens
🕒	3000:1
📏	SXGA+ (1400 x 1050) up to UXGA
🕒	3000/2000 Hours (STD/Bright Mode)*
📺	480i/p, 576i/p, 720p, 1080i
🔊	28/32dB (STD/Bright Mode)
➡	<b>Inputs:</b> DVI-I (HDCP), VGA (YPbPr/RGB/SCART), S-Video, Composite <b>Audio:</b> 4 Audio Inputs, 1 Audio Output <b>Outputs:</b> VGA monitor loop though <b>Comms:</b> RJ45, RS232, USB
🔊	2 x 2 Watt
📄	PIP Function, Network Management, Password Security, Remote with Mouse & Laser
🛡	3 years (LAMP 180 days or up to 1000 Hours)

# Ultra Mobile

## EP729



⊙	1.0 Kg
💡	1600 Lumens
🌑	2200:1
✉	XGA (1024 x 768) up to SXGA
🕒	4000/2500 Hours (STD/Bright Mode)*
🌀	480i/p, 576i/p, 720p, 1080i
🔊	33/35dB (STD/Bright Mode)
➡	<b>Inputs:</b> VGA (YPbPr/RGB/SCART), S-Video, Composite
🔊	None
📄	Rapid Shut down, Remote with Mouse & Laser Function
🕒	3 years (LAMP 180 days or up to 1000 Hours)

## EP7150



⊙	1.2 kg
💡	2000 Lumens
🌑	2500:1
✉	XGA (1024 x 768) up to SXGA
🕒	4000/3000 Hours (STD/Bright Mode)*
🌀	480i/p, 576i/p, 720p, 1080i
🔊	33/36dB (STD/Bright Mode)
➡	<b>Inputs:</b> VGA (YPbPr/RGB/SCART), S-Video, Composite <b>Audio:</b> 1 Audio Input
🔊	1 x 1 Watt
📄	Rapid Shut down, Remote with Page Up/Down & Laser Function
🕒	3 years (LAMP 180 days or up to 1000 Hours)

The Optoma logo features a red swoosh above the word "Optoma" in a bold, black, sans-serif font.

**Optoma Europe Limited**  
42 Caxton Way, Watford Business Park,  
Watford, Hertfordshire. WD18 8QZ

Tel: +44 (0) 1923 691800  
Fax: +44 (0) 1923 691888

[www.optoma.eu](http://www.optoma.eu)

\*Typical lamp life achieved through testing. Will vary according to operational use and environment conditions.

Copyright © 2006, Optoma Europe Ltd. All other product names and company names used herein are for identifications purposes only and may be trademarks or registered trademarks of their respective owners. Errors and omissions excepted, all specifications are subject to change without notice. DLP® and the DLP logo are registered trademarks of Texas Instruments.

